BCTT Republic Landfill and Neighborhood Tours: Combined Questions from Members/Public and Answers As of 10/26/22

1. Question: I have had trouble finding out the details every time I move and in different cities/counties over the years in the Willamette Valley. The most accurate information I have found lately is through the Corvallis Sustainability Coalition. Not everyone knows about them though, I just found this recently after 30 years of living here. For example, on the tour, one of the leaders told me that in my neighborhood (Lewisburg) there is household composting. I have never been offered that or given any information about that. I have looked on your website and talked to people on the phone and it is not clear.

	Responses				
Staff	Oregon DEQ	Neighborhood Tour Leaders	Republic Services		
The county's Solid Waste and			We mail our service guide to all		
Sustainable Materials			customers. It can be accessed		
Management webpages detail			online at		
the various collection services			https://www.republicservices.co		
available to residents, including			m/cms/documents/municipality/		
that food waste can be placed in			OREGON/CORVALLIS/Philomath-		
all curbside mixed organics (yard			Adair-Village-Benton-County-OR-		
waste) carts county-wide. Our			Service-Guide-2022.pdf.		
staff are also available by phone			<u>Service-Guide-2022.pdr</u> .		
at 541-766-6819 to help with			All services (and subsequently		
solid waste questions.			the guide) vary based on where		
Republic Services also publishes			the customer lives.		
this service guide showing what			the education invest		
items are accepted in each					
residential cart, and the guide is					
available on the County's					
webpage, as well as Republic					
Services' webpage.					

2. Question: I sat next to a gentleman who was a member of the public, that told me that this whole tour must be a media stunt on behalf of Republic Services. I was happy to explain to him that in fact we the work group requested this tour. He didn't know there was a work group. I would be interested to know how he found out about the tour, I wish I would have asked at the time.

	Responses					
Staff	Oregon DEQ	Neighborhood Tour Leaders	Republic Services			
Benton County shared			This question does not appear to			
information about the tours			be directed at Republic Services.			
through various outlets,						
including: •Shared on social						
media – Facebook, Twitter,						
Nextdoor, Instagram						
•Sent media advisories to local						
media						
•External newsletter - 9000						
subscribers						
•Sent to Solid Waste Workgroup						
opt in email list with reminders						
Posted on Benton County						
website						

3. Question: What is the best way to obtain information about the exact details of local recycling pick-up and what is collected?

	Responses				
Staff	Oregon DEQ	Neighborhood Tour Leaders	Republic Services		
Republic Services should be contacted to answer any			We mail our service guide to all		
questions about specific solid			customers. It can be accessed online at		
waste and recycling collection					
services. For more general			https://www.republicservices.co		
information about materials			m/cms/documents/municipality/		
accepted, county staff are also			OREGON/CORVALLIS/Philomath-		

available to help answer			Adair-Village-Benton-County-OR-
questions. The county's <u>Solid</u>	I		Service-Guide-2022.pdf.
Waste and Sustainable Materials	I		
Management webpages detail	I		Services (and subsequently the
the various collection services	I		guide) vary based on where the
available to residents.			customer lives.

4. Question: With the new recycling legislation and working with this committee, what are your plans to improve communication with the community about what is recyclable and what services are offered?

Responses					
Staff	Oregon DEQ	Neighborhood Tour Leaders	Republic Services		
The county will be working with Oregon DEQ and with the collection franchisee on the communication and implementation of new legislation elements. The county's Solid Waste and Sustainable Materials	Oregon DEQ	Neignbornood Tour Leaders	We provide information to the community through a variety of channels, including our customer service guides, newsletters, the master recycler class, community and school presentation and the CSC block captain program. We are open to further discussion		
Management webpages are a helpful resource, and will continue to communicate any updates with recycling services.			about additional methods of communication.		

5. Question: Could be get total monies received from all leases, taxes for Benton County? I know this is in other documents, but I fear it has been buried.

Responses				
Staff	Oregon DEQ	Neighborhood Tour Leaders	Republic Services	
			This question appears to be directed to Benton County.	

6. Question: Could we get a break down of costs per user, that should include residential and commercial, host and non-host, covered loads and non-covered loads?

	Responses				
Staff	Oregon DEQ	Neighborhood Tour Leaders	Republic Services		
			This is an extremely broad question and the answer varies based on the nearly two dozen franchise agreements and service contracts that are currently in place. However, our gate rate is \$82 for municipal solid waste and construction related materials and \$52 for yard waste and wood. A complete list of pricing can also be found on our website: coffinbuttelandfill.com		

7. Question: How are closure costs for the Old Landfill addressed in current operating budgets and financial assurance instruments?

	Respo	onses	
Staff	Oregon DEQ	Neighborhood Tour Leaders	Republic Services
	DEQ assumes that this is referring to the "Former Burn Dump" area which is located west of the existing quarry. Republic Services is responsible for the entire landfill site, which includes the "Former Burn Dump". The Permittee must provide an annual update including what it would cost to properly close the entire landfill if they had to close it this year. They also need to estimate the expected costs of 30 years of operations and maintenance (post closure care) including mowing, gas and leachate management and monitoring. The landfill currently provides financial assurance (which allows DEQ to access the funds under certain circumstances) in the following amounts: Closure- \$16,222,800 Post Closure - \$5,743,202.		We are assuming that this question refers to the "Burn Dump." That material has been moved from the unlined location into a lined cell. It's covered by the financial assurance.

These cost estimates are based on a third party closing the landfill and for post closure care.	
They are updated annually and take inflation into account.	

8. Question: Do you have a record of your carbon footprint? What is the estimated decrease with the change to electric transportation?

	Responses					
Staff	Oregon DEQ	Neighborhood Tour Leaders	Republic Services			
			Republic Services set aggressive			
			sustainability targets for 2030,			
			and we are working to achieve			
			them. Our goal is to reduce			
			absolute Scope 1 and 2			
			greenhouse gas emissions 35			
			percent by 2030. As of our 2021			
			data, we've reduced operational			
			greenhouse gas emissions by 9			
			percent of over our 2017			
			baseline year, close to our			
			interim target of a 10 percent			
			reduction by 2025. We currently			
			have 77 renewable energy			
			projects around the nation, an			
			award-winning compositing site			
			in Otay, near San Diego,			
			California, and another facility			
			just down the street from Coffin			
			Butte.			

		Electric vehicles are a game
		changer. We are currently
		piloting EV pilot projects in Boise,
		Idaho and Hickory, North
		Carolina.

9. Question: Emissions directly to the atmosphere: Have estimates been made? What do they include as sources e.g. open face of landfill, fuel for dozer like equipment use on site, missions from garbage trucks on site?

	Responses					
Staff	Oregon DEQ	Neighborhood Tour Leaders	Republic Services			
	The DEQ air quality permit is only applicable to stationary sources, so emissions from mobile engines such as garbage trucks or compactors are not accounted for as part of the landfill's total emissions. The following emission units are included in the permit: • Landfill gas emissions from the landfill surface (fugitive emissions) • Emissions from flares (a portion of landfill gas is collected and controlled by these flares) • Road dust emissions from vehicle traffic (this does not include emissions from vehicle engines) • Tipper		We submit an annual GHG report to the EPA, but for landfill data only. We need additional time to extract the relevant material from this complex report.			

Detucione contoncinate d		
Petroleum contaminated		
soils		
Aggregate insignificant		
activities – includes cell		
development, operation,		
leachate collection and		
wastewater treatment,		
portable light plant, trash		
pumps and generators (these		
were evaluated and		
determined their emissions		
are insignificant).		
The majority of the emissions are		
landfill gas emissions from the		
landfill surface and flares. These		
emissions were estimated by		
using EPA's landfill gas emissions		
model (<u>LandGEM</u>), which is		
specifically designed to estimate		
landfill gas emissions based on		
the tonnage of waste received.		

10. Question: Engineered wetlands at NE corner of 99W and Coffin Butte Road. Appears to be in wet condition. Unclear if this is the 40 acres of dedicated wetlands. DEQ records (2005)(called Figure 2-2 and attached) indicate a Leachate Pond was located on the east side of the site. Where is its approximate location on a current site map?

Responses			
Staff	Oregon DEQ	Neighborhood Tour Leaders	Republic Services
	There are two leachate ponds		Republic Services can provide an
	south of Coffin Butte Road and		update site map at an upcoming
	west of the landfill gas energy		workgroup or subcommittee
	plant.		meeting, whichever the

	facilitator deems more
DSL designates wetlands. A map of wetlands can be found here:	appropriate.
https://maps.dsl.state.or.us/swi/	

11. Question: What is being done to ensure the Old Landfill is not a continuing environmental problem?

	Responses			
Staff	Oregon DEQ	Neighborhood Tour Leaders	Republic Services	
	Answer assumes "the Old Landfill" refers to the area known as the "Burn Dump". Waste from the unlined "Burn Dump" (also known as the former Army landfill) was excavated and relocated to lined cells at the landfill (2018-2022). (See October 2018 Coffin Butte Landfill "Burn Dump" Clean Closure Work Plan). Moving the waste to lined cells greatly reduces risks to the environment and human health. Additionally, 15 wells along the western part of the site are monitored to document the recovery of the groundwater from past activities in the closed landfill and Cells 1/1A. Most are sampled once a year and some are sampled twice per year, they are analyzed for volatile organic		The material from this site (also known as the Burn Dump) was moved into a modern, lined cell, in compliance with current DEQ standards.	

compounds, selected ions and selected trace metals. Once every five years they are analyzed for additional parameters. Volatile organic compound concentrations in wells along the west-side compliance boundary were below primary drinking water standards including well MW-12S, where the trend for tetrachloroethene (PCE) continues downward. Several other VOCs were detected at low concentrations in the west-side compliance wells and several inorganic parameters (chloride, total dissolved solids, manganese) are present above background concentrations or screening levels at one or more monitoring wells. These parameters do not cause any risks to human health but are helpful to understand how the aquifer has recovered from past contamination.

12. Question: Could we get a breakdown of counties that includes total tonnage? It should include or break out residential and commercial.

Responses

Staff	Oregon DEQ	Neighborhood Tour Leaders	Republic Services
			Republic Services provides a
			summary of this data in its
			annual report to Benton County,
			the most recent of which can be
Tonnage by county is included on			accessed here. The data can be
this report, but it does not			found on Page 7. We do not
differentiate residential and			break out residential versus
commercial.			commercial tonnage.

13. Question: DEQ tracks Municipal Solid Waste disposal and Recyclables. Info on Industrial Wastes also should be available. Disconnect in numbers between RSI and DEQ mentioned by tour participant. Need DEQ (Brian Fuller) and RSI (Sean and Russ) to resolve disconnects?

Responses			
Staff	Oregon DEQ	Neighborhood Tour Leaders	Republic Services
Oregon DEQ provided the following explanation regarding the differences between the state's reported disposal tonnage and the reported tonnage in Coffin Butte Landfill's annual reports: DEQ material recovery survey reports "counting waste", which is essentially municipal solid waste (MSW) plus tires and	Olegon DEQ.	Neighborhood Tour Ledders	Republic Services agrees with the explanation provided by the Oregon Department of Environmental Quality (ODEQ.)
construction and demolition waste (excluding dirt, rubble, rock and asphalt).			

The DEQ material recovery survey reporting does not include industrial or agricultural wastes, sewage sludge, asbestos, rubble, rock, and asphalt or other inert wastes, or petroleumcontaminated soil. Oregon DEQ does not ask landfills to report the county of origin for these other wastes, DEQ only asks landfills to report if they are from Oregon or from out-of-state. In summary, the difference between the Benton County numbers in the Coffin Butte Landfill Annual Report and DEQ's Material Recovery Survey report is due to all the industrial waste, sewage sludge, and alternative daily cover disposed at Coffin Butte, which is coming from Benton County but only reported to DEQ as coming from somewhere in Oregon.

14. Question: How many medical systems use the landfill?

Responses			
Staff Oregon DEQ Neighborhood Tour Leaders Republic Services			

DEQ does not track "medical systems" that use the landfill.	Good Samaritan Regional Medical Center in Corvallis.	
---	---	--

15. Question: What 1-3 waste products cause the most volume in the landfill locally and by the other counties that use the landfill? Do you see a future where these could be decreased?

	Responses			
Staff	Oregon DEQ	Neighborhood Tour Leaders	Republic Services	
An estimate using DEQ's Waste	County staff answer covers this.		According to the U.S.	
Characterization Study			Environmental Protection	
(downstate 2016-17), shows the			Agency's most recent data, paper	
top three waste categories			and paperboard related products	
disposed statewide (outside of			comprise 23.05 percent of	
Portland Metro area) are:			municipal solid waste; food	
- Food at 15.84%,			equates to 21.59 percent of MSW	
Wood at 14.03%"Other Inorganics" (rock, dirt,			and yard trimmings and plastics	
concrete, litter, etc): 13.51%			each contribute about 12 percent	
There are significant			of MSW. The 2020 Oregon	
opportunities to increase waste			Material Recovery and Waste	
prevention and recovery of			Generation Rates Report found	
several materials. Food and the			that Oregonians are generating	
larger category of Construction			more waste than in previous	
and Demolition are key areas for			<u>years</u> . People in Oregon	
opportunity.			generated 5,960,805 tons of	
			waste, up five percent from	
			2019. The report notes "Waste	
			generation remained well above	
			the goal set for 2009-2024 by the	
			Oregon Legislature."	
			Read the report here:	

	https://www.oregon.gov/deq/recycling/Documents/2020MRWGR
	atesReport.pdf

16. Question: What percentage of waste at the landfill is medical and how much of that is local? What types of medical waste do you take and what is the process?

	Responses			
Staff	Oregon DEQ	Neighborhood Tour Leaders	Republic Services	
	DEQ does not track the amount of medical waste sent to landfills.		See answer above. Medical waste is a minimal amount of overall	
	Per OAR 340-093-0030 (66) "Medical Waste" means solid waste that is generated as a result of patient diagnosis, treatment, or immunization of human beings or animals.		volume.	

17. Question: "While we are on the landfill tour on Saturday, I heard you talking with Joel Geier, and the subject of the arc lamps on the scene came up. You told Joel that the lamps were not used mornings, only in afternoons... However, I went out this morning at 6 am and saw that the lights were indeed already on atop Coffin Butte, and there appeared to be operations going on, as I could see the red taillights of trucks moving around up there also... So I am looking for an explanation from you that reconciles your statement to Joel and the ground truth."

Responses			
Staff	Oregon DEQ	Neighborhood Tour Leaders	Republic Services
			The individual who asked this
			question is mistaken about the
			conversation he overheard. As

	noted in previously submitted materials, Coffin Butte is open to commercial customers from 5 a.m. to 5 p.m. and our employees are onsite from 4:30 a.m. to 5:30 p.m. to open and close the facility. Lights are used in both the morning and afternoon as needed to ensure the safety of our employees and customers but are not left on overnight.
--	---

18. Question: Could we get the plan for quarry once it reaches its end?

Responses			
Staff	Oregon DEQ	Neighborhood Tour Leaders	Republic Services
			The quarry will be used as a lined cell, like the others at Coffin Butte, built in compliance with DEQ standards and regulations. Once it's filled, it will be capped and monitored like the rest of the landfill cells, again, in accordance with DEQ standards and regulations.

19. Question: Have seeps been observed in the rock formations between the current landfill and the Knife River operation? Between the Old Landfill and the Knife River operation? Do/did these seeps contain landfill leachate constituents? Does/did testing of the quarry pond or site discharge contain landfill leachate constituents?

Respo	

Staff	Oregon DEQ	Neighborhood Tour Leaders	Republic Services
	Materials reviewed by DEQ have		We are not aware of any
	not documented seeps going into		groundwater seeps. We monitor
	the quarry. Water in the quarry is		groundwater wells and Knife
	not currently part of the		River has a stormwater permit
	environmental monitoring plan		for their surface water discharge.
	for the landfill site.		

20. Question: I work at the hospital in Corvallis and have been working on improving recycling on the floor I work on. In doing so I found out that the hospital doesn't recycle glass. Is there a reason for this and how can recycling be improved at local companies? Is there a department leader that helps with this?

	Responses			
Staff	Oregon DEQ	Neighborhood Tour Leaders	Republic Services	
			We have done several miniaudits at Good Samaritan Regional Hospital over the years, primarily looking at waste coming from surgical suites. Some of it can be recycled but requires sorting. There was not much interest in doing that. Glass recycling is available to the hospital and it is their choice to utilize that service. They have had glass collection in the past. They have a very tight loading area and that has been an issue as well.	

21. Question: Clarifications of the net amount of energy generated and overall environmental emissions would be helpful. Examples: What are the constituents of the landfill gas and a what concentration? What fraction of the landfill gas received is used in the power production engines? What fraction is flared? Is supplemental natural gas or other fuel used to assist flare operations/efficiency? What are the environmental emissions from the power plant site (including the flair)? What fraction of the electric power generated is used onsite? Clarify what the impact of CB not being able to maintain its recent rate of yearly increased trash inflow on power generation. Hypothetically, what would be the impact on power generation if CB operations were limited to accepting materials from only Benton County? Please include the impact on CPI customers, corporate financial condition, etc.

Responses			
Staff	Oregon DEQ	Neighborhood Tour Leaders	Republic Services
			Landfill gas is roughly 50 percent carbon dioxide and 50 percent methane. It is routed to the power plant, where it is transformed into clean, renewable energy, capable of powering up to 4,000 homes. The plant operates under its own DEQ Air Quality permit (Title V).

22. Question: I am a customer of Consumer power, I was excited to learn about the methane gas being used to power homes. How much methane and other greenhouse gases are released per year that doesn't make it to the power plant? Why aren't they able to be collected? You said compost was a large releaser of GHGE. Is there a way to decrease that by different methods?

Responses			
Staff	Oregon DEQ	Neighborhood Tour Leaders	Republic Services
			EPA models of GHG generation
			are estimates of the amount of
			gas generated that we report
			annually. Composting reduces

	GHG emissions by removing the
	organic material from the landfill.
	This is not accounted for in the
	models and can skew them.

23. Question: Is all the landfill gas collected piped to the power plant? How much gas vents from the landfill?

	Respo	onses	
Staff	Oregon DEQ	Neighborhood Tour Leaders	Republic Services
	Not all the landfill gas collected is piped to the power plant. There are two flares that are used to control (burn) landfill gas when they generate more gas than the power plant can handle. The landfill reports to DEQ every month how much gas is sent to the power plant and how much gas is burned in the flares. It is hard to estimate how much gas is emitted from the landfill surface. EPA suggests assuming 25% of landfill gas generated is emitted from the landfill surface using the LandGEM model.		All the landfill gas that is collected from Coffin Butte is routed to the power plant.

24. Question: Can Republic Services show that they have fairly compensated landowners for property purchased next to quarry?

Responses			
Staff	Oregon DEQ	Neighborhood Tour Leaders	Republic Services

This is question is posed for This question is vague but if and Republic, but could be answered when any real estate transactions objectively by the Benton County occurred, Valley Landfills Inc., Assessor's office, which has and its predecessors would have access to records of sale and past purchased all properties in armsappraisals both for the vicinity of length transactions with the the landfill and for lessimpacted seller. Valley Landfills Inc. has no areas of Benton County which power of eminent domain or are otherwise comparable. To other means to force someone to determine what would be "fair sell their property, other than to value" for a property not already offer them a price they are degraded by proximity to landfill willing to accept. operations, we suggest that the assessment should compare sale prices of properties elsewhere in Benton county that, at the time of sale, were similar in size, zoning, and scenic rural character, but at least 3 miles from the landfill. This could include, for example, Logsden Ridge, Vineyard Mountain, Springhill, and rural residential areas south of Philomath.

25. Question: Has Republic Services ever donated to the volunteer fire fighters for Adair Village or any other?

Responses			
Staff	Oregon DEQ	Neighborhood Tour Leaders	Republic Services
		This is question is posed for	Coffin Butte Landfill has
		Republic, but could be also be	supported local causes, civic
		posed to Adair Rural Fire &	organizations, non-profit entities

fire.c timin dona able	e.com/site/), regarding the ning and amount of any enations. ARF&R might also be le to supply information on sts of past responses to landfill es.	and individuals who share our company's values for many years. In addition, we have provided drop boxes for brush clean up in Benton County neighborhoods to assist in fire prevention. This program is called Firewise and we respond to County requests for these services.
------------------------	--	---

26. Question: Given the increasing forecast of earthquake magnitude, how would a 9.0 magnitude earthquake (same as the design criteria for the recent CPU) impact the existing landfill?

Responses			
Staff	Oregon DEQ	Neighborhood Tour Leaders	Republic Services
	According to the landfill's Site Development Plan (updated in 2022, a site-specific probabilistic seismic hazard assessment (PSHA) update was performed for the site using up-to-date tools for earthquake assessment. The PSHA was performed to calculate the acceleration response spectrum of the site with a 2% probability of exceedance in 50 years, which corresponds to an event with a 2,475-year return period. Design Moment Magnitude of M = 8.48 and site-to-source	This is a good question that could be addressed at least in part by a seismic hazard analysis of the existing landfill, based on current understanding of the risks of a 9.0 (or larger, possibly as high as 9.5) magnitude earthquake on the Cascadia Subduction Zone. Research by Dr. Chris Goldfinger at OSU (see https://www.nature.com/articles /news.2010.270) indicates that there have been 41 earthquakes of magnitude 9.0+ on this zone in the past 10,000 years about 1 per 240 years on average (though it's important to note that the	The EPA's Resource and Recovery Act (RCRA) codifies all aspects of landfill design, permitting and operations. Seismic design guidance has been in place and part of RCRA since 1993. Coffin Butte Landfill has been, and continues, to be, in compliance with all state and federal regulations.

distance of R = 61 km (38 miles) resulted in a corresponding PGV of 24 cm/s.

Results of the slope stability analyses that incorporate the proposed subgrade plan and waste grading plan are summarized in Table.

Summary of Stability Results				
Cross Section	Condition Analyzed	Static FS _{min}	Seismic Yield, K,	Estimated Seismic Displacement (in)
1	West Slope – Cell 6	1.9	0.20g	1.0
2	South Slope – Cell 6 Piggy-Back	1.5	0.14g	6.2
3	South Slope – Cells 3, 5B-5E & 6I	1.6	0.01g	10.2

The results indicate a minimum static FS greater than 1.5 and estimated permanent seismic deformation of 12 inches or less for the proposed waste slopes represented by the three cross sections evaluated. Given the range of conditions evaluated, the stability results were found to be acceptable relative to the design criteria presented in Section 2 of this report, the standards set forth in 40 CFR Part 258, OAR 340-094, and generally accepted standard of practice for landfill slope stability.

intervals between mega quakes can vary considerably from the average).

To our knowledge, this type of analysis has not been done for the older landfill cells. The risk of a M 9.0+ earthquake on the Cascadia Subduction Zone was not recognized before research published by Brian Atwater in 1987

(https://www.science.org/doi/10 .1126/science.236.4804.942). Even after this evidence was accepted by the scientific community, it took a couple of decades for the implications to make it into state and local regulatory requirements for new construction.

For the most recently planned cells, filings by Republic's geotechnical consultants use a method called "probabilistic seismic hazard analysis." This is a scientifically credible approach, in general terms, but the results depend on numerous assumptions that go into the analysis, in what is a rapidly developing "art." See for example:

https://www.usgs.gov/publications/probabilistic-seismic-hazard -

analysis-regional-and-nationalscale-state-artand-future For a landfill, this analysis is further complicated by the uncertainty and variability in the properties of garbage as a material (as evident from the wide range of "density" estimates quoted in Republic's annual reports for Coffin Butte). Taking a careful, independent look at the earthquake modeling in the 2021 Site Development Plan might be a good project for seismic risk assessment and structural engineering experts at OSU. The results presented by Republic's consultants thus far have been stated in terms of predicted probabilities of displacements of different magnitude for soil cover etc. To our knowledge, these geotechnical model predictions have not been propagated to assess the risks of, e.g. shearing of wells and piping in the methane capture system, ruptures of the liner system, or the resulting risks to public health and safety following a magnitude 9.0+ earthquake. For comparison, the city of Christchurch, New Zealand has

spent more than a decade repairing municipal water and sewer pipes following the M 7.1 earthquake that struck the city in September of 2010. So it's reasonable to expect that a more severe earthquake, shaking a small mountain of old garbage that contains everything from diapers to bedframes and old kitchen sinks, might cause problems for the many miles of pipes and acres of tarps in the methane capture system. One thing about earthquakes is that, like unhappy families each earthquake is unhappy in its own way. Most major earthquakes result in a re-evaluation of the building codes that were insufficient to prevent loss of life because the earthquake ended up being longer, or "joltier," or more harmonic, than it was expected to be. That's why the best earthquake research on buildings and other complex structures is conducted on "shake tables." Here's a link to a cool example: https://www.youtube.com/watc h?v=Y7kKcIsBKDo So far as we know, no one has put a scale model of a landfill on

	a "shake table" and tried out
	different scenarios that would be
	comparable to a M 9.0+
	earthquake. So much is going on
	in this landfill: plastic liners with
	welded seams, perforated pipes,
	horizontal gas pipes, vertical gas
· ·	pipes, and layers of waste of
	highly variable composition and
	compaction. The properties of
	the garbage layers are also
	changing constantly, as chemical
	reactions transform solids into
	gases and leachate. It's a very
	complex system, with much to go
	wrong.

27. Question: Is there a robust Emergency Management Plan that addresses the needed responses of RSI and County resources? Are personnel appropriately aware and trained for situations that arise with landfills? Is there a consensus among RSI and first responders on how to fight a landfill fire? Are responsibilities clearly identified? Is the effort adequately funded?

	Responses			
Staff	Oregon DEQ	Neighborhood Tour Leaders	Republic Services	
		These are good questions for the Benton County Emergency	Safety is of the utmost priority at Coffin Butte. All of the Landfill's	
		Management coordinator. Perhaps he could be asked to speak to the Work Group. Recently when the County was preparing its Wildfire Protection Plan, county development staff were asked whether the landfill	employees are highly skilled and highly-trained on all aspects of Landfill operations, including fire prevention and response. The Landfill utilizes best-in-class fire prevention techniques and	

		adhana ta all lacal and atiti
	was going to be included in the	adheres to all local and state
	Plan as a locale of concern, which	guidelines. Questions related to
	is either the site in North Benton	County resources and County
	County where the most fires	budgetary items/funding will
	have originated, or is at least one	need to be directed to Benton
	of the top sites in the County for	County officials.
	fire origination.	County officials.
\	Staff's reply was that they	
	couldn't include the landfill in the	
	WPP, since staff had no expertise	
	in, or understanding of, the	
	ramifications of fires either	
	originating in a landfill and	
	starting a larger wildfire on	
	neighboring lands, or starting on	
	neighboring lands and spreading	
	to the landfill.	

28. Question: The Bit-by-Bit facility said there has been no forest plan for forest fire prevention on landfill land bordering her property. Can republic services speak to their wildfire prevention plan?

Responses			
Staff	Oregon DEQ	Neighborhood Tour Leaders	Republic Services
		There was some	Seems like there is some
		misunderstanding here as to	confusion around this question
		what Bit-by-Bit's representative	and what was stated by the Bit-
		stated. There just has been no	by-Bit facility, per Joel Geier's
		communication by Republic	email. Republic Services believes
		Services with neighbors about	the trees near the Bit-by-Bit
		this issue, at least since Brian	facility were planted to screen
		May's tenure as landfill manager	the Landfill and its operations
		for VLI (around 2005). Meanwhile	from the adjacent property. We
		the Douglas-fir plantation has	are unaware of any local or State

become very dense, with many	requirement to maintain a
dead branches low down in the	wildfire prevention plan for the
trees which could serve as "fire	property, but are open to further
ladders" for a ground fire to	discussion about this issue.
move into the canopy and	
grow explosively.	
Potential sources of wildfire risk	
could include accidents along the	
highway. During the 2017 tanker	
spill we were lucky that power	
lines near the crash site were not	
damaged enough to arc to	
ground, and CPI was notified	
quickly by first responders so that	
they could shut off power. We	
might not be so lucky next time.	
In addition, there many people of	
limited resources travel on foot,	
bicycle, or even skateboard along	
Hwy 99W. Occasionally neighbors	
have seen indications of people	
camping in the dense Douglas-fir	
plantation (bicycles left by the	
side of the road or people with	
backpacks coming out of the	
forest in the morning). So there	
may also be a risk of wildfire	
from campfires or improvised	
camp stoves.	
camp stoves.	

29. Question: Bit by Bit facility said there has been banging in the forest next to their facility at 8pm at night. Can Republic Services address what that may be?

Responses			
Staff	Oregon DEQ	Neighborhood Tour Leaders	Republic Services
		This question is also directed to	Without further information or a
		Republic. As neighbors, we can	timeframe, Republic Services is
		say that the last time we heard	unable to respond to this
		similar banging noises in the	question.
		forest was during the summer of	
		2021. It emerged later that	
		Republic was digging test pits and	
		boring holes as part of	
		geotechnical site characterization	
		activities prior to submitting a	
		CUP for landfill expansion. The	
		public was not notified of plans	
		for that activity on these Forest	
		Conservation zoned parcels.	
		This does illustrate how an	
		expansion of regular landfill	
		operations in this direction would	
		increase impacts of equipment-	
		generated noise on adjacent	
		landowners and their ability to	
		use their properties.	

^{30.} Question: Did one of the Benton County Commissioners tell Nancy that in fact the County can negotiate with the Landfill to only accept trash from certain places?

Responses			
Staff	Oregon DEQ	Neighborhood Tour Leaders	Republic Services
		The 1981 Franchise Agreement	This would seem to be a question
		between the County and VLI	for Benton County
		limited the service area from	Commissioners, as Coffin Butte
		which waste could be trucked to	Landfill has no knowledge of, and
		a very small number of regions	was not involved with, this
		(this is memorialized in the 1974	conversation.

· · · · · · · · · · · · · · · · · · ·	<u> </u>
	CUP). Until the franchise
	agreement was re-negotiated in
	2000, adding additional regions
	for waste collection was
	collaboratively decided upon by
	the County and the landfill
	operator. After the landfill was
	sold to Allied Waste in 2000, the
	franchise agreement was
	negotiated to remove the
	County's control over which
	regions could deposit waste into
	the landfill. This is memorialized
	in the 2001 "Baseline Study"
	prepared by the County: "In
	return for an increased franchise
	fee and the institution of a per
	ton host surcharge, Benton
	County no longer has rate setting
	authority for the landfill and will
	no longer be consulted in regards
	to the origin or volume of solid
	waste disposed at the landfill."
	Source: Baseline Study,
	Introduction, page 4 of 322

31. Question: How is it decided how high the landfill can be build? When do you stop adding garbage?

Responses			
Staff	Oregon DEQ	Neighborhood Tour Leaders	Republic Services
	There is not a DEQ rule stating	The first part of this question	The Landfill height and
	the height of the landfill, but	seems to be for the Planning	configuration is determined by
	there are limits on the landfill's	Department (conditions on past	our DEQ approved Site

final cover slopes that DEQ considers stable, which given the area limits imply a height limit. Generally, the maximum slope of the landfill sides is 30% (1 to 3 or 30 feet of elevation for every 100)	question for the work group to consider in making recommendations.	Development Plan. Benton County also has a copy of this plan on file.
feet of distance). It's possible to exceed this with significant extra		
engineering calculations.		

32. Question: I am in SWAC but still want clarification on ownership of Coffin Butte Landfill. Who owns the landfill and the PRC? Both Republic? Either the county?

Responses			
Staff	Oregon DEQ	Neighborhood Tour Leaders	Republic Services
		This is a good question for the	Valley Landfills, Inc., a wholly-
		Planning Department or County	owned subsidiary of Republic
		Assessor. If you look on the	Services.
		Assessor's website, some parcels	
		around the landfill are listed as	
		being owned by "Republic	
		Services Property Tax" while	
		some are owned by "Valley	
		Landfills Inc." or other entities. It	
		is confusing. The PRC is located	
		mainly on tax lots 104170000300	
		& 301 (Valley Landfills Inc.) but	
		with recent expansions of this	
		facility, some operations appear	
		to extend onto tax lots	
Benton County does not own or		104170000400 & 302 and	
operate Coffin Butte Landfill nor		104080000300 & 400 (City of	
Pacific Region Compost (PRC).		Adair Village) as well as parts of	

104170000200 (owner listed as
USA, apparently federal
government the US Forest
Service, Siuslaw National Forest
maintains some jurisdiction over
parts of this lot but other parts
such as the former BOMARC
missile site might still be under
Department of Defense).

33. Question: It was said that the fuel spilled on 99 by the dump was taken to the landfill. Can we talk about how that soil was managed and if it was by DEQ standards?

	Responses			
Staff	Oregon DEQ	Neighborhood Tour Leaders	Republic Services	
Staff	Oregon DEQ The landfill has a special waste management plan that specifies how much petroleum contaminated soil (PCS) can be accepted and what is the maximum concentration of petroleum. Some of it may be used as daily cover soil. PCS must be kept on lined portions of the landfill if stockpiled for use as cover soil. They were briefly allowed to keep some of the soil outside of the landfill footprint during this emergency response phase.	Neighborhood Tour Leaders The first part of this question seems to be mainly for Republic to explain. In connection with other fuel spills, gasoline- or diesel-contaminated soil has sometimes been used as "daily cover" which means that the soil would be spread out, allowing volatile organic compounds in the soil to evaporate into the air. The second part of this question is a good question for DEQ, as they had a trailer on site for approximately a month for DEQ staff who were supposed to be monitoring the response (the	Republic Services DEQ staff were onsite to manage the cleanup process. Coffin Butte Landfill managed the material in compliance with all DEQ rules and regulations.	
		actual work was carried out		

PCS is a common daily cover	mainly by a private contractor	
material used at landfills	based in Philomath).	
throughout Oregon.		

34. Question: The front facing cells seem to be "closed". Can we confirm? When will they be covered with soil and planted over?

Responses				
Staff	Oregon DEQ	Neighborhood Tour Leaders	Republic Services	
		These seem to be questions for	Forty-five acres on the south side	
		Republic to answer. From	of the Landfill have been closed.	
		information in the 2021 Site	This entails placement of a	
		Development Plan, it appears	geosynthetic liner that is covered	
		that no cell has been "closed"	with soil and planted with	
		since 2011. Planning Division	vegetation. Additional areas will	
		staff might be able to speak to	be closed in the future.	
		conditions of past CUPs.		

35. Question: There was a claim that the county was to terrace the landfill and now it appears that the cells that have been covered are in fact not terraced. Can we have Republic Services address that?

Responses				
Staff	Oregon DEQ	Neighborhood Tour Leaders	Republic Services	
		Planning Division staff have been	DEQ regulations, with respect to	
		asked for documents referenced	landfill closure, have evolved	
		in the Findings of Fact for the	over time. Terracing of Landfills is	
		1983 Zoning Amendment that	an outdated practice that has	
		would describe the referenced	since been replaced by	
		"terracing" (they would probably	sophisticated and highly-	
		be in the form of drawings). The	regulated closure and post-	
		best clues as to what might be	closure requirements. The	
		contained in these documents lie	outside slopes are covered in	
		in contemporaneous newspaper		

articles where County	accordance with these DEQ/EPA
representatives and lawmakers	requirements.
discuss how, after the landfill	
closes, it will be returned to	
productive use and look better	
than it did before, for example,	
the following quote from the	
Gazette Times in an article from	
11/21/1973, "Jeanette Simerville,	
chairman of the Benton County	
Board of Commissioners, said	
Tuesday 'the site would be used	
in increments and as each	
increment was filled it would be	
in better condition for productive	
use than it is now."	

36. Question: There was a claim that the Quarries created by the government during Camp Adair's time were filled with waste. Can we confirm this?

Responses			
Staff	Oregon DEQ	Neighborhood Tour Leaders	Republic Services
		The tour guide handout included a photograph from an OSU MAIS thesis by historian Bob Zybach which shows the extent of the quarrying during the early Camp Adair period (photos originally taken by Wilma Rohner). More documentation is available from a series of oral history monographs. Copies of several of these are available for inspection	If we are understanding the question correctly, Republic invested \$5,000,000 over the last several years to relocate waste from this area to the lined cells.

at the Soap Creek historic schoolhouse, or can be downloaded from: http://nwmapsco.com/ZybachB/ Oral Histories/Soap Creek Valle y/index.html Several small quarries were created on the lower slopes of Coffin Butte by the US Army and government contractors during the Camp Adair period. These were the source of crushed rock that was used mainly as "fill" to elevate roadbeds through "Swamp Adair" as it was called, although the Army found that this rock was of too poor quality to use for the actual road surfaces or for concrete structures in the camp. For those purposes, better-quality gravel was mined from river-gravel guarries several miles to the east. Two of the main river-gravel quarries from this period have recently been restored as western pond-turtle habitat, as part of Luckiamute State Natural Area in the northeast corner of Benton County, Many of the oral histories produced by Dr. Zybach reference the old crushed-rock quarries on Coffin Butte as "scars". The quote from the 1973

CUP is as follows: The scars that erode the face of Coffin Butte should be filled and compacted to a condition permitting reseeding and eventual visual reclamation of the area. The "scars" are thought to refer to the pits and bare-rock slopes left by the Army. Some of those quarries (mainly on the west side of the topographic saddle) were later filled with garbage (sometimes referred to as "the burn dump" in Republic's annual reports) or covered by later landfill cells. This is documented by DEQ (see answer to next question, below). A couple of quarries on the east end of the butte were used occasionally by ODOT, before those lands were transferred to ODFW (around the year 2000). Those quarries have not been filled with garbage. They are now accessible to the public via the Coffin Butte Trail (part of E.E. Wilson Wildlife Area), and still provide good exposures of the basalt rock that forms much of Coffin Butte. During the tour we noted that these quarries are small in relation to more recent scarring of the butte, by recent

	expansions of Republic's landfill	
	and the quarry operated by Knife	
	River.	

37. Question: There was the assertion that Wha Chang has used the landfill in the past or present and that Magnesium and other metals were dumped there. Can the landfill confirm? If so, can they tell us who regulates how they handle those kinds of materials? Were those rules followed? There were expressed fears of an exothermic reaction underground. Can Republic address?

Responses			
Staff	Oregon DEQ	Neighborhood Tour Leaders	Republic Services
Staff	Oregon DEQ	These facts have been documented by DEQ. Here is the relevant text excerpted from the DEQ document titled "Environmental Cleanup Site Information (ECSI) Database Site Summary Full Report - Details for Site ID 832, Coffin Butte Regional Landfill" (as downloaded from DEQ's of November 14, 2021 at 12:41:30 PM). Site History: Landfilling at Coffin Butte first began in the 1940s by the Army as a part of waste disposal for the former Camp Adair. (See ECSI #1044 for more information on Camp Adair). In 1975, Valley Landfills, Inc. (VLI) purchased the site and currently operates it as a municipal solid waste facility. Contamination information: (1/23/95 ACV/SAS) Valley Landfills, a subsidiary of	Republic Services The material we believe these questions are referring to was isolated many years ago into its own cell and have been subsequently handled according to all relevant rules and regulations.

Waste Control Systems, purchased the landfill in 1975 for use as a municipal landfill. In addition to municipal wastes, the landfill received low level radioactive wastes and industrial debris from Teledyne Wah Chang. For the first few years after 1975, zirconium nodule fines from Teledyne were mixed in with the municipal wastes. Because the fines were pyrophoric, the practice was discontinued. Teledyne's wastes are now segregated from the municipal wastes in clay cells. (See ECSI #315 for more information on Teledyne Wah Chang). Manner and Time of release: Landfilling of wastes; leachate generation. 1940s to present. Hazardous Substances/Waste Types: municipal and industrial wastes, radium, magnesium, zirconium, asbestos, VOCs [volatile organic compounds]. Note that the term "pyrophoric" as used in the context of hazardous materials refers to substances that ignite instantly upon exposure to oxygen. They can also be water-reactive, where heat and hydrogen, a

flammable gas, are produced	
(see	
https://www.purdue.edu/ehps/r	
em/laboratory/HazMat/Chemical	
%20Materials/pyro.html).	

38. Question: How far from the landfill has groundwater contamination been found? How has the groundwater contamination plume been contained? Prevented from reaching surface waters?

	Responses			
Staff	Oregon DEQ	Neighborhood Tour Leaders	Republic Services	
	Coffin Butte Landfill underwent a	Groundwater contamination has	As noted in public records and	
	series of groundwater	been found at least as far from	reports submitted to our	
	investigations beginning in 1992	the landfill as the well for the the	regulatory agencies, remediation	
	that characterized the site in	Helms home site which we	efforts have been in place since	
	response to DEQ solid waste	visited (near where Wiles Road	the 1990s. Since the landfill cover	
	permit requirements and	crosses Soap Creek). The	was installed on Cells 1/1A in	
	additional work overseen by	contamination plume was not	1996 and LFG removal wells were	
	DEQ's cleanup program. An	"contained" but there have been	installed in Cell 1 in 1994, the	
	overall summary of the	efforts to diminish the strength	number and concentrations of	
	investigations and responses to	of the source (e.g. first by	VOCs have declined in	
	the pre-regulation landfill cells is	capping the old "burn dump" to	compliance wells. Most	
	presented in the Record of	limit infiltration by rainwater,	concentrations are at very low	
	Decision available here untitled	and later by moving this material	concentrations and continue to	
	(state.or.us).	to a lined cell). The contaminants	decline in each of the wells.	
		that already entered the		
	The extent of contamination is	groundwater prior to completion		
	defined based on impacts of	of these actions will presumably		
	volatile organic compounds	continue to move as a plume,		
	(VOCs) as VOCs are not present in	though the concentrations		
	natural groundwater and	(based on general principles of		
	relatively mobile.	hydrogeology) can be expected		
		to become more dilute with time		

Approximately 300 to 400 feet downgradient of the compliance boundary for Cells 1/1a, groundwater quality has shown a distinct improvement in detection wells MW-17 through MW-19. VOCs have not been detected in these wells indicating attenuation between the compliance boundary and the downgradient detection wells. The Closed Landfill is monitored by two detection wells: one completed in the alluvium (MW-20), and one completed in bedrock (MW-21). Of three historically detected VOCs in MW-21, cis-1,2-DCE has not been detected since May 1995, 1,2dichlorobenzene has been nondetect the last three years, and chlorobenzene declined to nondetect in 2001. No VOCs have been detected in MW-20 since 1995. Soap Creek has never been believed to be impacted by contaminated groundwater, it is possible that low levels of VOCs attenuated or evaporated as groundwater meets surface water.

and distance, as the plume disperses over a wider area or seeps into surface waters such as Soap Creek. Further information on Republic's efforts to monitor the plume are detailed in their annual monitoring reports submitted to DEQ (Tuppan Consultants). Those reports also show the extent of their monitoring network.

39. Question: Risk assessments for the Landfill (human health, transportation spills, fire, etc.) should consider including schools being potentially impacted by air borne releases from landfill fires (approx. 2 miles away) or transportation accidents (99W about 1400 ft away).

Responses			
Staff	Oregon DEQ	Neighborhood Tour Leaders	Republic Services
Staff			Republic Services None. This appears to be a statement, not a question.
		existing K-12 Santiam Christian School (with enrollment of 650), there is a proposal to build a new elementary school as part of the Corvallis 509-J School district (per testimony at a recent Planning Commission meeting by the Adair city administrator, Patrick Hare). This could bring even more children into the landfill-impacted zone 5 days a week, 9 months per year. Adair Village is also home to many young families, particularly	
		· · · · · · · · · · · · · · · · · · ·	

	36.7% of residents were under	
	the age of 18 (per Wikipedia).	

40. Question: The road were not built to handle "this kind of traffic". "The road was not built for this kind of traffic." Can the roads department address that please? We were sitting on the corner of Camp Adair and Independence.

Responses			
Staff	Oregon DEQ	Neighborhood Tour Leaders	Republic Services
		Benton County identifies the	This appears to be a question for
		route in question as a "High	Benton County.
		Crash Rate Segment" of roadway	
		(Benton County Transportation	
		Plan, page 24 of 112). Highway	
		20 was just this year blocked	
		when a Republic garbage truck	
		overturned closing both lanes of	
		traffic (Albany Democrat-Herald,	
		April 11, 2022, "Highway 20	
		closed near Albany due to	
		garbage truck rollover"). In 2020,	
		a Republic Services garbage truck	
		went off the road and tipped	
		over not far from the intersection	
		where the tour stopped (at	
		Independence Highway and	
		Palestine Rd.). We are not aware	
		of any county-funded studies of	
		landfill- or quarry-related truck	
		traffic on Camp Adair Road.	
		However the degree of wear and	
		tear on the road is evident to	
		residents, in the form of road	

damage and deep roadside
potholes where trucks go off the
pavement, particularly on the
sharp curves just east of Highway
99W (by the archery range where
we stopped). It could be useful to
see a record of the frequency of
repairs to this road, in
comparison with other roads of
the same class. Springhill Drive
(just north of where we turned
west off of Independence Hwy)
can be mentioned as another
nearby road that carries some of
the heavy traffic from these
sources, and is also chronically in
very poor condition.

41. Question: The statement that Garbage trucks are the most dangerous truck on the road. I would like to request data to show what the most dangerous trucks on the road are.

Responses			
Staff	Oregon DEQ	Neighborhood Tour Leaders	Republic Services
Stajj	Sitgon DEQ.	If the statement was that garbage trucks are "the most dangerous", that was a misstatement. Certainly the intent was to say that dump trucks and garbage trucks are among the most dangerous large	Republic Services is unaware of any data supporting this statement. In addition, Republic Services has recorded a 38 percent better safety performance than the industry
		trucks. According to "Large Truck and Bus Crash Facts" put out by the Federal Motor Carrier Safety	average over the past 10 years (based on OSHA recordable rates.) We continue to innovate

Administration, dump trucks and pilot new technologies to come in fourth (at 8 percent) of ensure the safety of our drivers. all large trucks involved in fatal Since 2016, Republic Services has traffic accidents; and dump partnered with Together for trucks come in fourth (at 10 Safer Roads, a coalition of private percent) of all injury-causing fleet operators committed to accidents. Garbage trucks working together to advance represented between 2.2 and 2.5 road safety. percent of all large trucks in fatal traffic accidents. Dump trucks and garbage trucks are very large and as result have long blind spots, and their weight causes them to have long stopping distances and for accidents involving them to be inherently more dangerous. They also are associated with flying debris. During the landfill tour, one of the Republic employees described how garbage loads can catch on fire while in the truck, causing the driver to have to quickly find a place to pull off the road so that they can dump their load to extinguish the fire. Further Information of an anecdotal nature is fairly easy to find in Google search, e.g.: https://www.motorbiscuit.com/g arbage-trucks-dangeroussurprising-number-accidents/ https://www.trucknews.com/tra nsportation/fatalities-surge-

<u>around-truckings-most-</u>
dangerous-job-driving-agarbage-
truck/1003130722/
The following OSHA database
and search string could be useful
if county staff or the facilitation
team would like to devote time
to researching this issue more
quantitatively:
https://www.osha.gov/pls/imis/a
ccidentsearch.search?
sic=&sicgroup=&naics=&acc_desc
ription=&acc_abstract=&acc_key
word=%22Garbage%20Truck
%22&inspnr=&fatal=&officetype
=&office=&startmonth=&startda
y=&startyear=&endmonth=&end
day=&endyear=
&keyword_list=on&p_start=&p_f
inish=20&p_sort=&p_desc=DESC
&p_direction=Next&p_show=20
CP_GREEDER TEXTOP_SHOW=20

42. Question: There is a concern as laid out in many articles about air quality and those living close to landfills. There are also concerns about ground water contamination. What has the county decided is a safe distance for residents to be living and their wells in relation to the landfill. I would request that we recommend that the county determine that distance. There is evidence to suggest that air quality is a concern for allergies and cancer. Has the county looked into these claims as a way to make its decision?

Responses			
Staff	Oregon DEQ	Neighborhood Tour Leaders	Republic Services
		Here's a very thorough article	The environmental services
		from the EPA about the health	industry is among the most
		effects of living near hazardous-	heavily regulated in the United
		waste landfill sites	States. These regulations include

https://www.epa.gov/sites/defau stringent air quality and It/files/2014-03/documents/ groundwater monitoring and health effects of residence nea standards. Valley Landfills, Inc. r hazardous waste landfill sites works closely with its municipal, 3v.pdf county, state DEQ and EPA While Coffin Butte is not partners and is in compliance currently designated as a with these regulations. hazardous-waste landfill, it has received hazardous waste in the past (see DEQ report cited above), and it still receives contaminated soils from fuel spills, asbestos, fire debris, and incinerator ash. There is no regular program to audit the contents of garbage trucked in from remote counties. A community-member comment submitted to the Work Group ahead of our October 6th meeting described how even the Corvallis schools have apparently sent items classed as hazardous waste to the landfill. Potential health effects of living near landfills seem to include respiratory diseases including asthma, lung cancer, and risk of congenital malformation in newborns (Science Daily, May 24, 2016 "Living near a landfill could damage your health"). We are not aware of any local studies or guidelines issued by

the County. Formerly the
Disposal Site Advisory Committee
(DSAC) was under the direction
of the County Health Department
which might have paid more
attention to these types of
concerns, but in recent years
responsibility has been shifted to
the Development Division, which
does not have the same level of
expertise on public health issues.